





The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

REC'D 2 2 MAR 2004

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 9 February 2004

An Executive Agency of the Department of Trade and Industry

Patents Form 1/77

ts Act 1977

Request for grant of a patent (See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The

25MARO3 E794849-1 002898______ P01/7700 0.00-0306790.7

Patent 2 4 MAR 2003 LONDON

The Patent Office


Cardiff Road Newport Gwent NP10 8QQ

1.	Your reference		C4296(C)/LH	
2.	Patent application number (The Patent Office will fill in this part)	03067	90.7	24 MAR 2003
3.	Full name, address and postcode of the or of each applicant (underline all surnames)		UNILEVER PLC UNILEVER HOUSE, BI LONDON, EC4P 4BQ	ACKFRIARS
	Patents ADP number (if you know it)		50426956002	
	If the applicant is a corporate body, give the country/state of its incorporation		UNITED KINGDOM	
4.	Title of the invention		DETERGENT COMPO	SITION OR COMPONE
5.	Name of your agent (if you have one)		FRANSELLA Mary Eve Elitatt Peter V PATENT DEPARTMEN	William 3
	"Address for Service" in the United Kingdom to which all correspondence should be sent (including the postcode)		PATENT DEPARTMEN COLWORTH HOUSE, BEDFORD, MK44 1LQ	SHARNBROOK
	Patents ADP number (if you know it)		18934400C	>\
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number		Country Priority application n (if you know it)	number Date of filing :. (day / month / year) .
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application		Number of earlier application	Date of filing (day/month/year)
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))		YES	

er the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document Continuation sheets of this form Description 14 Claim(s) Abstract Drawing(s) 10. If you are also filing any of the following, state how may against each item. Priority Documents Translations of priority documents Statement of inventorship and right to grant of a patent (Patents Form 7/77) Request for preliminary examination and search (Patents Form 9/77) Request for substantive examination (Patents Form 10/77) Any other documents (please specify) I/We request the grant of a patent on the basis of this application. 11. Date: 21/03/03 Signature(s) . Sandra Jane EDWARDS, Authorised Signatory Louise Holland, Tel .01234 22 2082 12. Name and daytime telephone number of person to contact in the United Kingdom Warning After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked. Notes If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505. a) Write your answers in capital letters using black ink or you may type them. b) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper c) and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form. If you have answered 'Yes' Patents Form 7/77 will need to be filed. Once you have filled in the form you must remember to sign and date it.

For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77



- 1 -

DETERGENT COMPOSITION OR COMPONENT THEREFOR

TECHNICAL FIELD

5 The present invention relates to a particulate detergent composition or component therefor which comprises a bi- or tri- valent metal ion carboxylic acid salt.

BACKGROUND AND PRIOR ART

10

15

Modern particulate detergent composition contain a wide variety of ingredients. At the same time the consumer requires a particulate detergent composition which has acceptable physical characteristics such as, for example, being flowable and pourable in the case of powders and having good dispensing and dissolution properties in the case of tablets. The physical properties must remain acceptable even after storage for a number of weeks in the supply chain.

20

25

30

Many ingredients which provide a useful benefit to the detergent composition are difficult to include because they are liquid. However, liquid ingredients are not in themselves a problem as long as sufficient liquid carrying capacity is present in the solid portion of the detergent. Of more difficulty are the ingredients which are hygroscopic, which may be either liquid or solid. Hygroscopic materials are difficult to handle since they absorb atmospheric moisture over time during storage and can lead to a deleterious effect on physical properties such as undesired caking and subsequent reduction in flowability at

20

25

30

the point of use or a reduction is dispensability, dispersability or dissolution rate.

US 4,196,095 (Church & Dwight) discloses a carbonate based detergent composition which comprises magnesium stearate in order to reduce insoluble lump formation in cold water.

The present inventors have found that specific carboxylic acid salts are especially effective at reducing the negative effects on physical properties of particulate detergent compositions or components therefor due to moisture uptake.

DETAILED DESCRIPTION OF INVENTION

15 The bi- or tri- valent metal ion carboxylic acid salt

The carboxylic acid salt preferably has a metal ion selected from magnesium, calcium, zinc, aluminium, lead, iron or mixtures thereof, preferably magnesium.

Preferably the carboxylic acid salt has from 10 to 22, preferably from 14 to 20 carbon atoms, more preferably 18 carbon atoms. Most preferably the salt is magnesium stearate having 18 carbon atoms.

The carboxylic acid salt is preferably in particulate form. If so it preferably has a number average particle size of from 0.1 to 500 micrometres, preferably from 1 to 200 micrometres, more preferably from 2 to 100 micrometres, most preferably from 3 to 50 micrometres, or even from 3 to

20 micrometres.

15

20

The carboxylic acid salt may be present substantially homogeneously throughout the composition or component. Alternatively the carboxylic acid salt may be present at the surface of the particles at a higher concentration than the average concentration in the composition or component. In a preferred embodiment the carboxylic acid salt is present on the surface of the particles, and this is often referred to in the art as layering.

10 The carboxylic acid salt is preferably present at a level of from 0.1 to 10 wt%, preferably from 1 to 8 wt%, more preferably from greater than 2 to 6 wt%, or even from 2.5 to 5 wt%, based on the weight of the composition or component before addition of the carboxylic acid salt:

The carboxylic acid salt may simply be added to a previously manufactured particulate detergent composition or component. Preferably the carboxylic acid salt is particulate and is layered onto the surface of the detergent composition or component.

The Composition or Component Therefor

The present invention applies equally to detergent

compositions and to components of detergent compositions
which are designed to be added to an already manufactured
detergent composition. For example the invention applies to
detergent base powder particles made by spray-drying or
granulation as well as adjunct components such as bleach or
enzyme granules, perfume granules, effervescent granules

etc. Preferred perfume granules comprise maltose and Polybutylmethylacrylate.

The term "hygroscopicity value", as used herein, means the
level of moisture uptake by the composition or component, as
measured by the percent increase in weight of the particles
under the following test method. The hygroscopicity value
is determined by placing 2 grams of particles (approximately
500 microns in size) in an open petri dish under conditions
of 37°C and 70% relative humidity for a period of 4 weeks.
The percent increase in weight of the particles at the end
of this time is the particles' hygroscopicity value as used
herein.

of moisture uptake, the invention relates to compositions or components which are hygroscopic. It is not known whether the carboxylic acid salt reduces the amount of water uptake or whether it prevents caking without reducing water uptake.

In any case the invention applies to detergent compositions or components which, without carboxylic acid salt being present, have a hygroscopicity value of at least 2%, preferably greater than 5%, preferably greater than 10%, more preferably greater than 20%, or even greater than 30%, or even greater than 50%.

Organic Detergent Surfactant

Finished detergent compositions of the present invention

30 contain an organic detergent surfactant. Components for

20

25

30

detergent compositions which are also part of the invention do not necessarily comprise surfactant.

Detergent-active compounds (surfactants) may be chosen from soap and non-soap anionic, cationic, nonionic, amphoteric and zwitterionic detergent-active compounds, and mixtures thereof. Many suitable detergent-active compounds are available and are fully described in the literature, for example, in "Surface-Active Agents and Detergents", Volumes I and II, by Schwartz, Perry and Berch. The preferred detergent-active compounds that can be used are soaps and synthetic non-soap anionic and nonionic compounds. The total amount of surfactant present is suitably within the range of from 5 to 60 wt%, preferably from 5 to 40 wt%.

Anionic surfactants are well-known to those skilled in the art. Examples include alkylbenzene sulphonates, particularly linear alkylbenzene sulphonates having an alkyl chain length of C_8 - C_{15} ; primary and secondary

alkylsulphates, particularly C_8 - C_{20} primary alkyl sulphates; alkyl ether sulphates; olefin sulphonates; alkyl xylene sulphonates; dialkyl sulphosuccinates; and fatty acid ester sulphonates. Sodium salts are generally preferred. Nonionic surfactants that may be used include the primary and secondary alcohol ethoxylates, especially the C_8 - C_{20} aliphatic alcohols ethoxylated with an average of from 1 to 20 moles of ethylene oxide per mole of alcohol, and more especially the C_{10} - C_{15} primary and secondary aliphatic alcohols ethoxylated with an average of from 1 to 10 moles of ethylene oxide per mole of alcohol. Non-ethoxylated

nonionic surfactants include alkanolamides, alkylpolyglycosides, glycerol monoethers, and polyhydroxyamides (glucamide).

- Cationic surfactants that may be used include quaternary ammonium salts of the general formula $R_1R_2R_3R_4N^{\dagger}$ X wherein the R groups are long or short hydrocarbyl chains, typically alkyl, hydroxyalkyl or ethoxylated alkyl groups, and X is a solubilising anion (for example, compounds in which R_1 is a
- C_{8} - C_{22} alkyl group, preferably a C_{8} - C_{10} or C_{12} - C_{14} alkyl group, R_{2} is a methyl group, and R_{3} and R_{4} , which may be the same or different, are methyl or hydroxyethyl groups); and cationic esters (for example, choline esters).
- 15 Amphoteric and zwitterionic surfactants that may be used include alkyl amine oxides, betaines and sulphobetaines.

 In accordance with the present invention, the detergent surfactant (a) most preferably comprises an anionic sulphonate or sulphonate surfactant optionally in admixture with one or more cosurfactants selected from ethoxylated nonionic surfactants, non-ethoxylated nonionic surfactants, ethoxylated sulphate anionic surfactants, cationic surfactants, amine oxides, alkanolamides and combinations thereof.

Surfactants are preferably present in a total amount of from 5 to 60 wt%, more preferably from 10 to 40 wt%.

10

15

20

Detergency Builder

Finished detergent compositions of the present invention preferably contain a detergency builder, although it is conceivable that formulations without any builder are possible.

The compositions of the invention suitably contain from 10 to 80%, preferably from 15 to 70% by weight, of detergency builder. Preferably, the quantity of builder is in the range of from 15 to 50% by weight.

Preferably the builder is selected from zeolite, sodium tripolyphosphate, sodium carbonate, sodium citrate, layered silicate, and combinations of these.

The zeolite used as a builder may be the commercially available zeolite A (zeolite 4A) now widely used in laundry detergent powders. Alternatively, the zeolite may be maximum aluminium zeolite P (zeolite MAP) as described and claimed in EP 384 070B (Unilever), and commercially available as Doucil (Trade Mark) A24 from Ineos Silicas Ltd, UK.

Zeolite MAP is defined as an alkali metal aluminosilicate of zeolite P type having a silicon to aluminium ratio not exceeding 1.33, preferably within the range of from 0.90 to 1.33, preferably within the range of from 0.90 to 1.20. Especially preferred is zeolite MAP having a silicon to aluminium ratio not exceeding 1.07, more preferably about 1.00. The particle size of the zeolite is not critical.

15

20

Zeolite A or zeolite MAP of any suitable particle size may be used.

Also preferred according to the present invention are phosphate builders, especially sodium tripolyphosphate.

This may be used in combination with sodium orthophosphate, and/or sodium pyrophosphate.

Other inorganic builders that may be present additionally or alternatively include sodium carbonate, layered silicate, amorphous aluminosilicates.

Organic builders that may be present include polycarboxylate polymers such as polyacrylates and acrylic/maleic copolymers; polyaspartates; monomeric polycarboxylates such as citrates, gluconates, oxydisuccinates, glycerol mono-di-and trisuccinates, carboxymethyloxysuccinates, carboxymethyloxymalonates, dipicolinates, hydroxyethyl-iminodiacetates, alkyl- and alkenylmalonates and succinates; and sulphonated fatty acid salts.

Organic builders may be used in minor amounts as supplements to inorganic builders such as phosphates and zeolites.

Especially preferred supplementary organic builders are citrates, suitably used in amounts of from 5 to 30 wt %, preferably from 10 to 25 wt %; and acrylic polymers, more especially acrylic/maleic copolymers, suitably used in amounts of from 0.5 to 15 wt %, preferably from 1 to 10 wt%. Builders, both inorganic and organic, are preferably present in alkali metal salt, especially sodium salt, form.

10

15

Other Detergent Ingredients

As well as the surfactants and builders discussed above, the compositions may optionally contain bleaching components and other active ingredients to enhance performance and properties.

These optional ingredients may include, but are not limited to, any one or more of the following: soap, peroxyacid and persalt bleaches, bleach activators, sequestrants, cellulose ethers and esters, other antiredeposition agents, sodium sulphate, sodium silicate, sodium chloride, calcium chloride, sodium bicarbonate, other inorganic salts, proteases, lipases, cellulases, amylases, other detergent enzymes, fluorescers, photobleaches, polyvinyl pyrrolidone, other dye transfer inhibiting polymers, foam controllers, foam boosters, acrylic and acrylic/maleic polymers, citric acid, soil release polymers, fabric conditioning compounds, coloured speckles, and perfume.

20

25

30

Detergent compositions according to the invention may suitably contain a bleach system. The bleach system is preferably based on peroxy bleach compounds, for example, inorganic persalts or organic peroxyacids, capable of yielding hydrogen peroxide in aqueous solution. Suitable peroxy bleach compounds include organic peroxides such as urea peroxide, and inorganic persalts such as the alkali metal perborates, percarbonates, perphosphates, persilicates and persulphates. Preferred inorganic persalts are sodium perborate monohydrate and tetrahydrate, and sodium percarbonate. Especially preferred is sodium percarbonate

having a protective coating against destabilisation by moisture. Sodium percarbonate having a protective coating comprising sodium metaborate and sodium silicate is disclosed in GB 2 123 044B (Kao).

The peroxy bleach compound is suitably present in an amount of from 5 to 35 wt%, preferably from 10 to 25 wt%.

The peroxy bleach compound may be used in conjunction with a bleach activator (bleach precursor) to improve bleaching action at low wash temperatures. The bleach precursor is suitably present in an amount of from 1 to 8 wt%, preferably from 2 to 5 wt%.

Preferred bleach precursors are peroxycarboxylic acid precursors, more especially peracetic acid precursors and peroxybenzoic acid precursors; and peroxycarbonic acid precursors. An especially preferred bleach precursor suitable for use in the present invention is N,N,N',N'-tetracetyl ethylenediamine (TAED). Also of interest are peroxybenzoic acid precursors, in particular, N,N,N-trimethylammonium toluoyloxy benzene sulphonate.

A bleach stabiliser (heavy metal sequestrant) may also be
25 present. Suitable bleach stabilisers include
ethylenediamine tetraacetate (EDTA) and the polyphosphonates
such as Dequest (Trade Mark), EDTMP.

Although, as previously indicated, in one preferred

30 embodiment of the invention enzymes are preferably absent,
in other embodiments detergent enzymes may be present.

Suitable enzymes include the proteases, amylases, cellulases, oxidases, peroxidases and lipases usable for incorporation in detergent compositions.

- In particulate detergent compositions, detergency enzymes are commonly employed in granular form in amounts of from about 0.1 to about 3.0 wt%. However, any suitable physical form of enzyme may be used in any effective amount.
- 10 Antiredeposition agents, for example cellulose esters and ethers, for example sodium carboxymethyl cellulose, may also be present.

The compositions may also contain soil release polymers, for example sulphonated and unsulphonated PET/POET polymers, both end-capped and non-end-capped, and polyethylene glycol/polyvinyl alcohol graft copolymers such as Sokolan (Trade Mark) HP22. Especially preferred soil release. polymers are the sulphonated non-end-capped polyesters described and claimed in WO 95 32997A (Rhodia Chimie).

Product Form and Preparation

Powder detergent composition of low to moderate bulk density
may be prepared by spray-drying a slurry, and optionally
postdosing (dry-mixing) further ingredients.

"Concentrated" or "compact" powders may be prepared by
mixing and granulating processes, for example, using a highspeed mixer/granulator, or other non-tower processes.

Tablets may be prepared by compacting powders, especially "concentrated" powders.

EXAMPLES

5

Perfume granules were made up to the following formulation using the process described in US 6,024,943:

Ingredient	Wt%
Polybutylmethylacrylate	24
beads	C
Perfume	24
Maltose	50
Water	2

10

15

Particulate layering agent was then added to the perfume granule. For comparative example A, no layering agent was added. 20 g of each sample of the granules were then put on open uncontrolled storage under estimated conditions of 20°C and 40-45%RH. The results are given in the table below.

Example	Layering agent	wt%	Storage time				
			6 hours	3 days	6 days	8 weeks	
A	None		D	đ .	-	-	
В	Zeolite A24 ⁽¹⁾	2%	A	b .	đ	-	
С	Zeolite A24 ⁽¹⁾	3%	A	b	đ	- '	
D .	Zeolite A24 ⁽¹⁾	48	Α.	b	đ	· -	
E	Zeolite A24 ⁽¹⁾	5%	A	a	С	-	
F	CaCO ₃ (2)	2%	A	b	đ	-	
G	CaCO ₃ (2)	5%	A	a	đ	· -	
1	Mg-stearate (3)	2%	A	b	b	_	
2	Mg-stearate (3)	3%	A	a	a	a	
3	Mg-stearate (3)	4%	A	a ·	a	a	
4	Mg-stearate (3)	5%	A	a	· a	а	
Н	Di calcium phosphate (4)	2%	В	đ	-		
I	Di calcium phosphate ⁽⁴⁾	5%	a	đ	-	-	

a No caking/flows well

b Light caking/flows less well

5 c Caking

d Heavy caking

- (1) Doucil A24, supplied by Ineos Silicas
- (2) Supplied by JT Baker

10

- (3) Supplied by Acros Chemical with an $d_{3,2}$ particle size of 7.3 micrometres as measured on a Malvern Mastersizer.
- (4) Supplied by Acros Chemical

In a second series of experiments, magnesium stearate was compared to sodium stearate. In these examples, 50 g of the perfume granules were layered and put onto open storage under conditions of 37°C/70%RH.

The following results were obtained:

			Storage time			
Example	Layering agent	wt%	15 hours	24 hours	2 days	5 days
5	Mg-stearate (3)	3%	а	a	A	a
J	Na-stearate ^(S)	3%	. Ъ	b	C	đ
, K	None	_	đ	đ	d	đ

- (3) Supplied by Acros Chemical with an d3,2 particle size of
- 15 7.3 micrometres as measured on a Malvern Mastersizer.
 - (5) Kemilub ES supplied by Undesa

CLAIMS

- 1. A particulate detergent composition or component therefor which comprises a bi- or tri- valent metal ion carboxylic acid salt which, without the salt being present, has a hygroscopicity value of greater than 2%.
- 2. A composition or component as claimed in claim 1, wherein the metal ion is magnesium, calcium, zinc, aluminium, lead, iron or mixtures thereof.
- 3. A composition or component as claimed in claim 1 or claim 2, wherein the carboxylic acid salt has from 10 to 22 carbon atoms.

15

10

5

- 4. A composition or component as claimed in any preceding claim, wherein the carboxylic acid salt is magnesium stearate.
- 20 5. A composition or component as claimed in any preceding claim, wherein, without the carboxylic acid salt being present, has a hygroscopicity value of greater than 5%, preferably greater than 10%, more preferably greater than 20%, or even greater than 30%, or even greater than 40% or even greater than 50%.
 - 6. A composition or component as claimed in any preceding claim, wherein the carboxylic acid salt is particulate.

30

- 7. A composition or component as claimed in claim 6, wherein the carboxylic acid salt has a number average particle size of from 0.1 to 500 micrometres, preferably from 1 to 200 micrometres, more preferably from 2 to 100 micrometres, most preferably from 3 to 50 micrometres, or even from 3 to 20 micrometres.
- 8. A composition or component as claimed in any preceding claim, wherein the carboxylic acid salt is present at a level of from 0.1 to 10 wt%, preferably from 1 to 8 wt%, more preferably from 2 to 6 wt%.
- 9. A composition or component as claimed in any preceding claim, wherein carboxylic acid salt is present at the surface of the particles at a higher concentration than the average concentration in the composition or component.
- 10. A composition or component as claimed in claim 9,
 wherein substantially all of the carboxylic acid salt
 is present at the surface of the particles.
- 11. A process comprising the step of adding a bi- or trivalent metal ion carboxylic acid salt to a previously
 manufactured particulate detergent composition or
 component.
 - 12. A process as claimed in claim 11, wherein the carboxylic acid salt is particulate and is layered onto the surface of the detergent composition or component.

ABSTRACT

A particulate detergent composition or component therefor which comprises a bi- or tri- valent carboxylic acid salt, preferably magnesium stearate, which, without the carboxylic acid salt being present, has a hygroscopicity value of greater than 2%.

10

5

PCT/**EP**20**04**/00**1512**

This Page is inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

	BLACK BORDERS
	IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
	FADED TEXT OR DRAWING
Ø	BLURED OR ILLEGIBLE TEXT OR DRAWING
ď	SKEWED/SLANTED IMAGES
	COLORED OR BLACK AND WHITE PHOTOGRAPHS
D	GRAY SCALE DOCUMENTS
	LINES OR MARKS ON ORIGINAL DOCUMENT
Ø	REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
۵	OTHER:

IMAGES ARE BEST AVAILABLE COPY. As rescanning documents will not correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox